## Carbohydrate Research 267 (1995) C11-C12

## **AUTHOR INDEX**

Abdel Hamid, H. 177 Adinolfi, M. 307 Albersheim, P. 79

Barnes, C.L. 17 Becker, B. 313 Beckmann, F. C3 Bell, R.A. 49 Bergamaschi, B.A. 115 Bouchra, M. 227 Bundle, D.R. 153

Calinaud, P. 227 Capretta, A. 49 Corsaro, M.M. 307

Darvill, A.G. 79 De Castro, C. 307 Driguez, H. 1

Ebata, T. 187 El Ashry, E.S.H. 177 El Habrouk, M. 177 Evidente, A. 307 Ewing, D.F. 203

Fahmi, N.-E. 203 Feather, M.S. 17 Fukamizo, T. 135

Gama, Y. 39 Garg, A. 105 Garg, H.G. 105 Gelas, J. 227 Goto, S. 135 Gunning, A.P. 161

Hedges, J.I. 115 Hirsch, J. 17 Hisamatsu, M. 79 Hisamichi, K. 299 Ikeda-Hasebe, T. 299 Ikeda, Y. 135 Impallomeni, G. 79 Ishizu, A. 291 Ito, S. 217

Jäger, K.-E. C3

Kamerling, J.P. 313 Kaneko, S. 39 Kawabata, Y. 39 Kerns, R.J. 143 Kirby, A.R. 161 Kobayashi, H. 299 Koizumi, K. 27 Komido, M. 299 Konda, Y. 217 Kusakabe, I. 39

Lanzetta, R. 307 Lavermicocca, P. 307 Linhardt, R.J. 143 Lommerse, J.P.M. 313

Mackenzie, G. 203 Maharajh, R.B. 49 Martin, O.R. 1 Matsuda, K. 299 Matsumoto, K. 187 Matsumoto, Y. 291 Matsushita, H. 187 Melkonian, M. 313 Meshitsuka, G. 291 Miller, A.W. 127 Moll, H. C3 Morris, V.J. 161

Neame, P.J. 105 Neira, S. 239 Nishimura, A. 291 Ohkawa, T. 135

Palcic, M.M. 153 Parolis, H. 263 Parolis, L.A.S. 263 Parrilli, M. 307 Peters, J.A. 65 Petrakova, E. 17

Piekarska-Bartoszewicz, B. 167

Ronco, G. 203

Sabesan, S. 239 Sakaki, T. 27 Sakakibara, T. 217 Samain, E. 1 Seta, A. 217 Shibata, N. 299 Siebert, J.W. 105 Simiand, C. 1 Stangier, P. 153 Striegel, A.M. 271 Suzuki, M. 299 Suzuki, S. 299 Tamura, T. 217 Tanimoto, T. 27 Tber, B. 203 Temeriusz, A. 167 Timpa, J.D. 271 Tokuda, K. 217 Torikata, T. 135

Van Bekkum, H. 65 Van den Berg, R. 65 Villa, P. 203 Vlahov, I.R. 143 Vliegenthart, J.F.G. 313

Wasserman, Z. 239 Watanabe, M. 299 Wawer, I. 167 Wilkinson, S.G. 127 Winn, A.M. 127

York, W.S. 79

Zähringer, U. C3



## Carbohydrate Research 267 (1995) C13-C15

## SUBJECT INDEX

- 3-Acetamido-3-deoxy- and 4-acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective cis-oxyamination, novel synthesis of, 187
- 4-Acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective *cis*-oxyamination, novel synthesis of 3-acetamido-3-deoxyand, 187
- Addition reactions of 1,5-anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-Derythro-hex-2-enitol and its 5a-carba derivative, nucleophilic, 217
- Aminoguanidine, the reaction of D-glucose with,
- Analysis of reducing end-groups produced by enzymatic scission of glycosidic linkages in *O*-methylcellulose, 291
- Anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-p-erythro-hex-2-enitol and its 5a-carba derivative, nucleophilic addition reactions of 1,5-, 217
- O10 Antigen of Stenotrophomonas (Xanthomonas) maltophilia, structure of the, 127
- O-Antigenic polysaccharide from E. coli O113 lipopolysaccharide, structure of the, 263
- Apparatus for HF solvolysis experiments, multichambered, 115
- α-L-Arabinofuranobiosides, synthesis of regioisomeric methyl, 39
- Assignment of <sup>1</sup>H and <sup>13</sup>C NMR chemical shifts of a D-mannan composed of  $\alpha$ -(1  $\rightarrow$  2) and  $\alpha$ -(1  $\rightarrow$  6) linkages obtained from *Candida* kefyr IFO O586 strain, 299
- Atomic force microscopy, imaging of xanthan gum by, 161
- 3'-Azido-2',3'-dideoxy-4'-thionucleosides starting from D-xylose, an alternative strategy for the synthesis of, 203
- Borate as catalyst and protecting group in the selective alkaline oxidative degradation of mono- and di-saccharides, 65

- 4-C-Branched sugar, a novel component of the lipopolysaccharide of the bacterium Pseudomonas caryophylli, 307
- Capillary electrophoresis for monitoring chemical reactions: sulfation and synthetic manipulation of sulfated carbohydrates, 143
- 7-O-Carbomoyl-L-glycero-D-manno-heptose, a new core constituent in the lipopolysaccharide of *Pseudomonas aeruginosa*, C3
- Cell wall polysaccharide fraction of the green alga *Tetraselmis striata*, structure of an acidic trisaccharide component, 313
- Cellulose HF solvolysis products, reaction with acetic acid and acetic anhydride, 115
- Chemoenzymatic synthesis and inhibition studies of dextransucrases, sucrose analogues modified at position 3, 1
- Chitotetraitol, N,N',N'',N'''-tetraacetyl, mode of binding to hen egg white lysozyme, 135
- <sup>13</sup>C CPMAS solid state NMR, 167
- Cyclodextrin-based metal chelants as probes for intestinal permeability, synthesis and characterization of, 49
- Cyclomalto-ocataoses, preparation of  $6^1$ , $6^2$ -,  $6^1$ , $6^3$ -,  $6^1$ , $6^4$  and  $6^1$ , $6^5$ -di-O-( $\alpha$ -D-gluco-pyranosyl), 27
- Dextransucrases, sucrose analogues modified at position 3: chemoenzymatic synthesis and inhibition studies, of, 1
- 2-(Dimethyloctylsilyl)ethyl lactoside: a versatile intermediate for chemical and enzymic ganglioside synthesis, 153
- Di-O-( $\alpha$ -D-glucopyranosyl)cyclomalto-ocataoses, preparation of  $6^1$ , $6^2$ -,  $6^1$ , $6^3$ -,  $6^1$ , $6^4$  and  $6^1$ , $6^5$ -, 27
- Enzymatic scission of glycosidic linkages in Omethylcellulose, analysis of reducing endgroups produced by, 291

- Escherichia coli O113 lipopolysaccharide, structure of the O-specific polysaccharide, 263
- Functional-group tuning in the designs of neuraminidase inhibitors, structural and, 239
- Ganglioside synthesis, 2-(dimethyloctylsilyl)ethyl lactoside: a versatile intermediate for chemical and enzymic, 153
- Gel-permeation chromatography, molecular characterization of polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by, 271
- D-Glucose and D-mannose series and selective hydrolysis of the corresponding orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the, 227
- D-Glucose with aminoguanidine, the reaction of,
- HF solvolysis experiments, a multichambered apparatus for, 115

<sup>1</sup>H NMR, 167

- Human post-burn scar maturation: isolation and characterization, iduronic acid rich proteoglycans (PG<sub>idoA</sub>) and, 105
- Hydrogen peroxide using borate as catalyst in the selective alkaline oxidative degradation of mono- and di-saccharides by hydrogen peroxide using borate as catalyst and protecting group, 65
- Iduronic acid rich proteoglycans (PG<sub>idoA</sub>) and human post-burn scar maturation: isolation and characterization, 105
- Imaging xanthan gum by atomic force microscopy, 161
- Isobutylidenation of 1-C-substituted polyols. Attempted extension of the NMR shift rule via the chemical shift difference of their two methyl groups, 177
- Levoglucosenone using regioselective cisoxyamination, novel synthesis of 3acetamido-3-deoxy-and 4-acetamido-4-deoxy-D-altrose from, 187
- Lipopolysaccharide from Stenotrophomonas (Xanthomonas) maltophilia, serogroup O10, structure of the, 127
- Lipopolysaccharide of *Pseudomonas aeruginosa*, indentification of 7-O-carbamoyl-L-glycero-D-manno-heptose as a new constituent, C3
- Lipopolysaccharide of the bacterium *Pseu-domonas caryophylli*, a novel 4-C-branched sugar component, 307
- Lysozyme, hen egg white, mode of binding of N,N',N'',N'''-tetraacetylchitotetraitol to, 135

- D-Mannan composed of D-mannan composed of  $\alpha$ - $(1 \rightarrow 2)$  and  $\alpha$ - $(1 \rightarrow 6)$  linkages obtained from *Candida kefyr* IFO O586 strain, assignment of <sup>1</sup>H and <sup>13</sup>C NMR chemical shifts of a, 299
- D-Mannose series and selective hydrolysis of the corresponding orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the D-glucose and, 227
- Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, molecular characterization of polysaccharides dissolved in, 271
- Methyl  $\alpha$ -L-arabinofuranobiosides, synthesis of regioisomeric, 39
- Methylcellulose, analysis of reducing end-groups produced by enzymatic scission of glycosidic linkages in O-, 291
- Molecular characterization of polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, 271
- Neuraminidase inhibitors, structural and functional-group tuning in the designs of, 239 <sup>15</sup>N NMR, 167
- NMR chemical shifts of a D-mannan composed of  $\alpha$ -(1  $\rightarrow$  2) and  $\alpha$ -(1  $\rightarrow$  6) linkages obtained from *Candida kefyr* IFO O586 strain, assignment of <sup>1</sup>H and <sup>13</sup>C, 299
- Nucleophilic addition reactions of 1,5-anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-D-erythro-hex-2-enitol and its 5acarba derivative, 217
- Orthoesterification, under kinetic control, at non-anomeric positions. Application to the D-glucose and D-mannose series and selective hydrolysis of the corresponding orthoesters, a new method of, 227
- Orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the D-glucose and D-mannose series and selective hydrolysis of the corresponding, 227
- Oxidative alkaline degradation of selective alkaline oxidative degradation of mono- and disaccharides by hydrogen peroxide using borate as catalyst and protecting group, 65
- cis-Oxyamination, novel synthesis of 3acetamido-3-deoxy- and 4-acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective, 187
- Polyols, attempted extension of the NMR shift rule via the chemical shift difference of their two methyl groups, isobutylidenation of 1-C-substituted, 177

- Polysaccharide from E. coli O113 lipopolysaccharide, structure of the O-specific, 263
- Polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, molecular characterization of, 271
- Proteoglycans (PG<sub>idoA</sub>) and human post-burn scar maturation: isolation and characterization, iduronic acid rich, 105
- Pseudomonas aeruginosa lipopolysaccharide, identification of 7-O-carbamoyl-L-glycero-pmanno-heptose as a new core constituent, C3
- Pseudomonas caryophylli, a novel 4-C-branched sugar from the cell wall lipopolysaccharide, 307
- Specific effects of sidechain structure and location on <sup>1</sup>H NMR chemical shifts, eleven newly characterized xyloglucan oligoglycosyl alditols, 79
- Stenotrophomonas (Xanthomonas) maltophilia, structure of the O10 antigen, 127
- Structural and functional-group tuning in the designs of neuraminidase inhibitors, 239

- Sucrose analogues modified at position 3: chemoenzymatic synthesis and inhibition studies of dextransucrases, 1
- Sulfation and synthetic manipulation of sulfated carbohydrates, capillary electrophoresis for monitoring chemical reactions, 143
- Synthesis and characterization of cyclodextrinbased metal chelants as probes for intestinal permeability, 49
- Tetraselmis striata, structure of an acidic trisaccharide component of cell wall polysaccharide fraction of the green alga, 313
- Trisaccharide component of a cell wall polysaccharide fraction of the green alga *Tetraselmis* striata, structure of an acidic, 313
- Ureidosugars, 167
- Xanthan gum, imaging by atomic force microscopy, 161
- Xyloglucan oligoglycosyl alditols: the specific effects of sidechain structure and location on <sup>1</sup>H NMR chemical shifts, eleven newly characterized, 79